NEBRASKA ADMINISTRATIVE CODE

Title 129 - Department of Environmental Quality

Chapter 17 - CONSTRUCTION PERMITS - WHEN REQUIRED

<u>001</u> Except as provided under section <u>014</u> of this chapter or Chapter 19 o<u>r</u> 42 of Title 129, no person shall cause the construction, reconstruction, or modification at any of the following without first having obtained a construction permit from the Department in the manner prescribed by this Chapter:

<u>001.01</u> Any stationary source or emission unit, such that there is a net increase in potential emissions at the stationary source equal to or exceeding the following levels:

001.01A Fifteen (15) tons/year of PM₁₀ emissions.

 $\underline{001.01B}$ Forty (40) tons/year of sulfur dioxide (SO₂) or sulfur trioxide (SO₃), or any combination of the two.

 $\underline{001.01C}$ Forty (40) tons/year of oxides of nitrogen (calculated as NO₂).

<u>001.01D</u> Forty (40) tons/year of volatile organic compounds (VOC).

<u>001.01E</u> Fifty (50) tons/year of carbon monoxide.

001.01F Six-tenths (0.6) tons/year of lead.

<u>001.01G</u> Two and one-half (2.5) tons/year of any hazardous air pollutant or an aggregate of ten (10) tons/year of any hazardous air pollutants, including all associated fugitive emissions (see Chapter 27, section <u>003</u>).

<u>001.02</u> When determining applicability under <u>001.01</u> above, sources in the following source categories must include fugitive emissions:

<u>001.02A</u> Coal cleaning plants (with thermal dryers);

Chapter 17

```
<u>001.02B</u> Kraft pulp mills;
001.02C Portland cement plants;
<u>001.02D</u> Primary zinc smelters;
<u>001.02E</u> Iron and steel mills;
<u>001.02F</u> Primary aluminum ore reduction plants;
<u>001.02G</u> Primary copper smelters;
<u>001.02H</u> Municipal incinerators capable of charging more
than 250 tons of refuse per day;
<u>001.02I</u> Hydrofluoric, sulfuric, or nitric acid plants;
<u>001.02J</u> Petroleum refineries;
<u>001.02K</u> Lime plants;
<u>001.02L</u> Phosphate rock processing plants;
001.02M Coke oven batteries;
<u>001.02N</u> Sulfur recovery plants;
<u>001.020</u> Carbon black plants (furnace process);
001.02P Primary lead smelters;
<u>001.02Q</u> Fuel conversion plants;
<u>001.02R</u> Sintering plants;
```

Chapter 17

<u>001.02S</u> Secondary metal production plants;

<u>001.02T</u> Chemical process plants_— The term chemical processing plant shall not include ethanol production facilities that produce ethanol by natural fermentation included in North American Industry Classification System (NAICS) codes 325193 or 312140;

<u>001.02U</u> Fossil-fuel boilers (or combination thereof) totaling more than 250 million British thermal units per hours heat input;

<u>001.02V</u> Petroleum storage and transfer units with a total storage capacity exceeding 300,000 barrels;

<u>001.02W</u> Taconite ore processing plants;

<u>001.02X</u> Glass fiber processing plants;

<u>001.02Y</u> Charcoal production plants;

<u>001.02Z</u> Fossil fuel-fired steam electric plants of more than 250 million British thermal units per hour heat input;

<u>001.02AA</u> Any other stationary source category which is being regulated by a standard promulgated under Section 111 or 112 of the Act as of August 7, 1980.

<u>001.03</u> Any incinerator used for refuse disposal or for the processing of salvageable materials except refuse incinerators located on residential premises containing five or less dwelling units used only for the disposal of residential waste generated on the said property.

<u>002</u> The standards which would have been imposed under a construction permit are applicable to those sources who have failed to obtain a permit to the same extent as if a permit had been obtained.

Chapter 17

<u>003</u> The owner or operator of any source required to obtain a construction permit or requesting permit applicability under this Chapter, or submitting a significant permit revision, shall submit an application on forms provided by the Department.

<u>003.01</u> Application Fee. Each application for a construction permit shall be accompanied by a non-refundable fee. The amount of the fee will be based on the amount of pollutants the entire source will directly emit or have the potential to emit, as follows:

Directly Emit or Have Potential to Emit:	Fee
Less than 50 tons per year of any regulated air pollutant; or	4.7.0
Less than 2.5 tons per year of any single HAP; or	\$250
Less than 10 tons per year of any combination of HAPs	
50 tons or more but less than 100 tons per year of any regulated air	
pollutant; or	
2.5 tons or more but less than 10 tons per year of any single HAPs; or	\$1,500
10 tons or more but less than 25 tons per year of any combination of	
HAPs	
100 tons or more per year of any regulated air pollutant; or	
10 tons or more per year of any single hazardous air pollutant (HAP);	\$3,000
or	ψ3,000
25 tons or more per year of any combination of HAPs	

<u>004</u> An application will be deemed complete if it provides all the information required and is sufficient to evaluate the subject source and to determine all applicable requirements. The application shall be certified by a responsible official for the source.

 $\underline{005}$ If the Department determines that the application is not complete and additional information is necessary to evaluate or take final action on the

Chapter 17

application, the Department may request such information in writing and set a reasonable deadline for a response.

<u>006</u> Any applicant who fails to submit any relevant facts or who has submitted incorrect information in a permit application shall, upon becoming aware of such failure or incorrect submittal, promptly submit such supplementary facts or corrected information.

<u>007</u> The Department shall require in the application information as necessary to determine if the new or modified source will interfere directly or indirectly with the attainment or maintenance of National Primary and Secondary Ambient Air Quality Standards, or violate any portion of an existing control strategy.

<u>008</u> If an air quality impact analysis is deemed necessary by the Director as a part of a construction permit application, concentrations of pollutants that may be expected to occur in the vicinity of a source or combination of sources will be determined by use of an air pollution dispersion model acceptable to the Director. Meteorological and operating conditions that may occur that will produce the greatest concentrations of the pollutants emitted shall be used in evaluating the effect of the source(s) on air quality.

<u>009</u> Disapproval of Application for Permits.

<u>009.01</u> If it is determined by the Director that emissions resulting from the operation of a source to be constructed or modified will any portion of these rules and regulations, violate any applicable federal air quality regulation, or interfere with attainment or maintenance of a National Ambient Air Quality Standard, no permit will be granted until necessary changes are made in the plans and specifications to obviate the objections to issuance.

<u>009.02</u> A construction permit will not be issued for any major source or major modification when such source or modification would cause or contribute to a violation of a national ambient air quality standard by exceeding, at a minimum, the following significant levels at any locality that does not or would not meet the applicable national standard:

Title 129

Chapter 17

	Averaging period					
Pollutant	Annual	24 hour	8 hour	3 hour	1 hour	
SO_2	1.0 ug/m^3	5 ug/m^3		25 ug/m^3		
PM_{10}	1.0 ug/m^3	5 ug/m^3				
NO_2	1.0 ug/m^3					
CO			0.5 mg/m^3		2 mg/m^3	

- <u>010</u> Issuance of permits. The Director shall publish notice of intent to approve or disapprove the application in accordance with the procedures of Chapter 14.
- <u>011</u> Approval, by issuance of a permit for any construction, reconstruction, or modification, does not relieve the owner or operator from the responsibility to comply with the applicable portions of the Implementation Plan control strategy. The permittee must comply with all conditions of the construction permit. Any permit noncompliance shall constitute a violation of the State Act and the Act, and is grounds for enforcement action or permit revocation.
- <u>012</u> If construction, reconstruction, or modification of the source is not commenced within 18 months, the construction permit shall lapse except upon a showing by the permittee that the complexity of the construction, reconstruction, or modification requires additional time.
- <u>013</u> Additional Requirements for Construction or Modification of Sources in Nonattainment Areas.
 - <u>013.01</u> No permit to construct or modify will be issued for a proposed major source or a major modification if the source is located or is to be located in an area that is nonattainment for a pollutant for which the source or modification is major unless it is determined that:

Chapter 17

<u>013.01A</u> By the time the facility is to commence operation, total allowable emissions from the same source or existing sources in the same nonattainment area, from new sources which are not major emitting facilities, and from existing sources allowed under the Implementation Plan prior to the application for such permit to construct or modify represent a net decrease in emissions and show reasonable further progress toward attainment and maintenance of the ambient air quality standards, and provided that any emissions reductions required as a precondition of the issuance of a permit shall be federally enforceable before such permit is issued.

<u>013.01B</u> The proposed source is required to comply with the lowest achievable emission rate; and

<u>013.01C</u> The owner or operator of the proposed new or modified source has demonstrated that all other major stationary sources owned or operated by such person (or by an entity controlling, controlled by, or under common control with such person) in the State subject to emissions limitations are in compliance, or on a schedule for compliance, with all applicable emission limitations and standards.

<u>013.01D</u> The proposed source is in compliance with requirements established under the Implementation Plan and the State shall not issue a permit if the Administrator has determined that the applicable Implementation plan is not being adequately implemented for the nonattainment area in which the proposed source is to be constructed or modified.

<u>013.01E</u> The source has completed an analysis of alternative sites, sizes, production processes, and environmental control techniques for such proposed source which demonstrates that benefits of the proposed source significantly outweigh the environmental and social costs imposed as a result of its location, construction, or modification.

Chapter 17

<u>013.02</u> The requirements of section <u>013.01A</u> for emission reductions from existing sources in the vicinity of proposed new sources or modifications shall be determined on a case-by-case basis. The offset baseline shall be the actual emissions of the source from which offset credit is obtained.

<u>013.03</u> The following shall apply to emission offsets:

<u>013.03A</u> If the emissions limit under these regulations allows greater emissions than the potential to emit of the source, emissions offset credit will be allowed only for control below this potential;

013.03B For an existing fuel combustion source, credit shall be based on the allowable emissions under the applicable State Implementation Plan for the type of fuel being burned at the time the application to construct is filed. If the existing source commits to switch to a cleaner fuel at some future date, emissions offset credit based on the allowable (or actual) emissions for the fuels involved is not acceptable, unless the permit is conditioned to require the use of a specified alternative control measure which would achieve the same degree of emissions reduction should the source switch back to a dirtier fuel at some later date. The Director will ensure that adequate long-term supplies of the new fuel are available before granting emissions offset credit for fuel switches.

<u>013.03C</u> Emissions reductions achieved by shutting down an existing source or permanently curtailing production or operating hours below baseline levels may be credited, provided that the work force to be affected has been notified of the proposed shutdown or curtailment. Source shutdowns and curtailments in production or operating hours occurring prior to the date the new source application is filed generally may not be used for emissions offset credit. However, where an applicant can establish that it shut down or curtailed production less than one year prior to the date of permit application, and the proposed new source is a replacement for the shutdown or

Chapter 17

curtailment, credit for such shutdown or curtailment may be applied to offset emissions from the new source;

<u>013.03D</u> No emissions credit may be allowed for replacing one hydrocarbon compound with another of lesser reactivity, except for those compounds listed in Table 1 of EPA's "Recommended Policy on Control of Volatile Organic Compounds". (42 FR 35314, July 8, 1977);

<u>013.03E</u> The procedures set out in 40 CFR Part 51, Appendix S, Section IV.D, relating to the permissible location of offsetting emissions, shall be followed, unless the Director determines that an equally stringent or more stringent procedure is appropriate.

<u>013.03F</u> Credit for an emissions reduction can be claimed to the extent that the Director has not relied on it in issuing any permit under regulations approved pursuant to 40 CFR Part 51 Subpart I or in demonstrating attainment or reasonable further progress.

<u>013.03G</u> Emission reductions otherwise required by this Title shall not be creditable as emissions reductions for purposes of any offset.

 $\underline{013.04}$ The provisions of $\underline{013}$ do not apply to a source or modification that would be a major stationary source or major modification only if fugitive emissions, to the extent quantifiable, are considered in calculating the potential to emit of the stationary source or modification and the source does not belong to any of the following categories:

<u>013.04A</u> Coal cleaning plants (with thermal dryers);

013.04B Kraft pulp mills;

<u>013.04C</u> Portland cement plants;

013.04D Primarily zinc smelters;

Chapter 17

<u>013.04E</u> Iron and steel mills;

<u>013.04F</u> Primary aluminum ore reduction plants;

<u>013.04G</u> Primary copper smelters;

<u>013.04H</u> Municipal incinerators capable of charging more than 250 tons of refuse per day;

<u>013.04I</u> Hydrofluoric, sulfuric, or nitric acid plants;

013.04J Petroleum refineries;

013.04K Lime plants;

<u>013.04L</u> Phosphate rock processing plants;

013.04M Coke oven batteries;

<u>013.04N</u> Sulfur recovery plants;

<u>013.040</u> Carbon black plants (furnace process);

013.04P Primary lead smelters;

013.04Q Fuel conversion plants;

013.04R Sintering plants;

<u>013.04S</u> Secondary metal production plants;

<u>013.04T</u> Chemical process plants; – The term chemical processing plant shall not include ethanol production facilities that produce_

Chapter 17

ethanol by natural fermentation included in North American Industry Classification System (NAICS) codes 325193 or 312140;;

<u>013.04U</u> Fossil-fuel boilers (or combination thereof) totaling more than 250 million British thermal units per hours heat input;

<u>013.04V</u> Petroleum storage and transfer units with a total storage capacity exceeding 300,000 barrels;

013.04W Taconite ore processing plants;

013.04X Glass fiber processing plants;

<u>013.04Y</u> Charcoal production plants;

<u>013.04Z</u> Fossil fuel-fired steam electric plants of more than 250 million British thermal units per hour heat input;

<u>013.04AA</u> Any other stationary source category which is being regulated by a standard promulgated_under Section 111 or 112 of the Act as of August 7, 1980.

<u>013.05</u> At such time that a particular source or modification becomes a major stationary source or major modification solely by virtue of a relaxation in any enforcement limitation which was established after August 7, 1980, on the capacity of the source or modification otherwise to emit a pollutant, such as a restriction on hours of operation, then the requirements of this section shall apply to the source or modification as though construction had not yet commenced on the source or modification.

 $\underline{014}$ Any source not required to obtain a construction permit pursuant to $\underline{001}$ may request a construction permit to be issued in the manner prescribed by $\underline{002}$ through $\underline{013}$ for the following purposes:

Chapter 17

<u>014.01</u> Establishing enforceable limits to avoid otherwise applicable requirements under the provisions of Title 129.

<u>014.02</u> Revising existing construction permits to incorporate significant permit revisions as defined in Chapter 15.

<u>014.03</u> Establishing a PAL pursuant to the provisions of Chapter 19 of Title 129. The construction permit used to establish a PAL must include the information and conditions listed in Chapter 19, section <u>011.06</u>.

<u>014.04</u> Establishing a Best Available Retrofit Technology (BART) permit or other permit required to reduce visibility impairment in a Class I Federal area pursuant to the provisions of Chapter 43.

Enabling Legislation: Neb. Rev. Stat. §§81-1504(1)(2); 81-1505(12); 81-1505.06.

Legal Citation: Title 129, Ch. 17, Nebraska Department of Environmental Quality